

ENCANA PO#	PO46907
NWP UNIT	LSD
08983-001	05-07-078-11 W6M

NOTES

1. 24 OZ. PNEUMATIC TEST REQUIRED ON SHELL & FIRETUBE.
2. PIPE SUPPORTS WHERE REQUIRED.
3. SHIP LOOSE ITEMS TO BE BOXED AND SEALED PRIOR TO SHIPMENT.
4. PLUG ALL OUTLETS PRIOR TO SHIPMENT.
5. LOUVERS MUST BE LOCATED AS SHOWN IN THIS ORIENTATION.
6. BMS-100 MUST HAVE CONTROLS ROTATED 90° TO FACE PLATFORM SUPPLIED IN FIELD.

						issued for Construction
						SIGNED:
	Ass		DATE:			
0	JULY 02/14	EB	Jule	SA	ISSUED FOR CONSTRUCTION	
Α	MAY 16/14	EB			ISSUED FOR APPROVAL	W.O.:
REV.	DATE	BY:	CHK:	APP:	DESCRIPTION	S/N:
	DRAWING REVISIONS			ALL DIMENSIONS IN INCHES		
ITHOUT PERMISSION. THIS DRAWING MUST BE RETURNED UPON REQUEST.						



P.O. BOX 6280, INNISFAIL, AB T4G 1S9 PH: (403) 227-4100 FAX: (403) 227-4102

PROJECTION: SCALE: AS NOTED **(**

ENCANA CORPORATION SOUR LINEHEATER PACKAGE 2.5 MMBTU/HR 72" OD x 26' LG

GENERAL ARRANGEMENT

CHK: TIC DATE: MAY 15/2014 DATE UL 17 2014 DATE UL 16 2014

08983-001-G-001 1 OF 4

COPYRIGHT © 2012 NWP THIS DRAWING IS PROPERTY OF NWP INDUSTRIES INC. AND MAY NOT BE REPRODUCED W





