






**Vessel Static Data:**

<b>Name:</b>	<b>3 Phase Separator</b>
<b>A#:</b>	<b>560169</b>
<b>Serial Number:</b>	<b>P06-942</b>
<b>CRN:</b>	<b>R 3429.231</b>
<b>LSD:</b>	<b>13-23-083-11 W6M</b>
<b>Location:</b>	<b>Worsley</b>
<b>CA:</b>	<b>N/A</b>
<b>Size:</b>	<b>16.00" OD</b>
<b>MAWP:</b>	<b>1480psi</b>
<b>Temp:</b>	<b>100°F</b>
<b>Head Material:</b>	<b>SA-516-70</b>
<b>Head Nominal:</b>	<b>0.700"</b>
<b>Shell Material:</b>	<b>SA-106-B</b>
<b>Shell Nominal:</b>	<b>0.844"</b>
<b>Year Built:</b>	<b>2006</b>
<b>Manufacturer:</b>	<b>Pro-V Industries</b>



**Notes:** \_\_\_\_\_



RT2

MANUFACTURED  
AND CERTIFIED  
BY

**PRO-V**  
INDUSTRIES INC.

ACHESON  
ALBERTA  
CANADA

SERIAL NUMBER	706-842	MAWP INTERNAL	1480 PSI at 100 °F
YEAR BUILT	2006	MDMT	-20 °F at 1480 PSI
HYDRO TEST	1324 PSI	MAWP EXTERNAL	PSI at °F

NAME 18 IN 3 PHASE SEPARATOR

SHELL MATERIAL	SA 106 B	THICKNESS	0.844 IN NDM
HEAD MATERIAL	SA 516-70M	THICKNESS	0.7 IN MDM
		CORR. ALLOW	0.0625 IN

CRN R 3029.234 (A) 560152149