




Bus: (403) 290-1331
1-800-548-3113
Fax: (403) 290-0045
www.canwell.com

NuLoch Resources - 12-15-014-17W4M



SUITE 1170, 800 - 6TH AVENUE S.W., CALGARY, ALBERTA T2P 3G3

(403) 290-1331
Fax: (403) 290-0045

1-800-548-3113
Cell: (403) 651-1599
e-mail: cory@canwell.com
www.canwell.com



Bus: (403) 290-1331
 1-800-548-3113
 Fax: (403) 290-0045
 www.canwell.com

NuLoch Resources - 12-15-014-17W4M
Cansweet Flooded tower process (800SX)
Injection Rate in Liters per day (US Rates)



H2S ppm	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500
Gas Flow 0.100 (MMscfd)	40	42	45	47	50	52	55	57	60	62
0.200	80	85	90	95	100	105	110	115	120	125
0.300	120	127	135	142	150	157	165	172	180	187
0.400	160	170	180	190	200	210	220	230	240	250
0.500	200	212	225	237	250	262	275	287	300	312
0.600	240	255	270	285	300	315	330	345	360	375
0.700	280	297	315	332	350	367	385	402	420	437
0.800	320	340	360	380	400	420	440	460	480	500
0.900	360	382	405	427	450	472	495	517	539	562
1.000	400	425	450	475	500	524	549	574	599	624
1.100	440	467	495	522	549	577	604	632	659	687
1.200	480	509	539	569	599	629	659	689	719	749
1.300	519	552	584	617	649	682	714	747	779	812
1.400	559	594	629	664	699	734	769	804	839	874
1.500	599	637	674	712	749	787	824	862	899	937
1.600	639	679	719	759	799	839	879	919	959	999
1.700	679	722	764	807	849	892	934	977	1019	1061
1.800	719	764	809	854	899	944	989	1034	1079	1124
1.900	759	807	854	902	949	997	1044	1091	1139	1186
2.000	799	849	899	949	999	1049	1099	1149	1199	1249

*Note- These rates are target rates for towers with warm gas and recommended velocities



Bus: (403) 290-1331
 1-800-548-3113
 Fax: (403) 290-0045
 www.canwell.com

NuLoch Resources - 12-15-014-17W4M
Cansweet Flooded tower process (800SX)
Injection Rate in Liters per day (Metric Rates)



H2S ppm	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500
Gas Flow 3.0	42	45	48	50	53	56	58	61	64	66
103M3/day 6.0	85	90	95	101	106	111	116	122	127	132
9.0	127	135	143	151	159	167	175	183	191	198
12.0	169	180	191	201	212	222	233	243	254	265
15.0	212	225	238	251	265	278	291	304	318	331
18.0	254	270	286	302	318	333	349	365	381	397
21.0	296	315	333	352	370	389	407	426	445	463
24.0	339	360	381	402	423	445	466	487	508	529
27.0	381	405	429	452	476	500	524	548	572	595
30.0	423	450	476	503	529	556	582	609	635	661
33.0	466	495	524	553	582	611	640	669	699	728
36.0	508	540	572	603	635	667	699	730	762	794
39.0	550	585	619	654	688	722	757	791	826	860
42.0	593	630	667	704	741	778	815	852	889	926
45.0	635	675	714	754	794	833	873	913	953	992
48.0	677	720	762	804	847	889	931	974	1016	1058
51.0	720	765	810	855	900	945	990	1035	1080	1125
54.0	762	810	857	905	953	1000	1048	1095	1143	1191
57.0	804	855	905	955	1005	1056	1106	1156	1207	1257
60.0	847	900	953	1005	1058	1111	1164	1217	1270	1323

*Note- These rates are target rates for towers with warm gas and recommended velocities