



Date	2019-06-04
Company	R&L
Lease Area and WO	R&L's Yard
R&L Operator	Keegan
Serial #	NYYT-91211-06JC
SF	Na
DH Asset ID#	R&L's Yard
Unit Make	Sentry
Unit Size	912
Unit Structure	912-365-192
Gearbox Make & Serial	Sentry NYYT-91211-06JC
Oil Level	Good
Oil Condition	Good
Shaft Cover Seal Leaks	O.K.
Brake Conditions	O.K.
Brake Cable	Needs Repair
Brake Drum Size	20"
Brake Shoe Size	24"
Jackshaft Sheave Size in out	Na
Jack Sheave Size	7C50
Motor Frame	Na
Motor Make and Serial #	Na
Motor HP	Na
Motor Sheave Size	Na
Motor RPM	Na
Ratio	28.8
Stroke Length	192
Stroke Position	Long
Jackshaft Make Size	Na
Jackshaft Belts Sizes	Na
Motor Belts Sizes	Na
Belt Condition	O.K.
SPM	Na
Comments	Replace brake cable

Lube Type	Grease
Left Seal	Medium Wear,O.K.
Right Seal	Medium Wear,O.K.
Left Bearing	Medium Wear,O.K.
Right Bearing	Medium Wear,O.K.
Left Pin	No bore ok
Right Pin	No bore ok
Comments	Good Condition
Lube Type	Grease
Left Seal	Light Wear,O.K.
Left Bearing	Medium Wear,O.K.
Equalizer Shaft	Medium Wear,O.K.
Right Seal	Light Wear,O.K.
Right Bearing	Medium Wear,O.K.
Comments	Good Condition
High Speed Gear	Light Wear,O.K.
Secondary Gear	Light Wear,O.K.
Low Speed Gear	Light Wear,O.K.
High Speed Bearings	Medium Wear,O.K.
Inter. Speed Bearings	Medium Wear,O.K.
Aux Wiper System	no
Carrier Bar Size and Make	16" hoop style
Bridle Condition	Repair
Bridle Length if Replacement needed	41'
Balance	Not Running
Weight Size and Position	4x) 4832lbs weights
Level Alignment	Unit not standing
Left Seal	Light Wear,Ok
Left Bearing	Medium Wear,O.K.
Center Shaft	Medium Wear,O.K.
Right Seal	Light Wear,O.K.
Right Bearing	Medium Wear,O.K.
Comments	Good Condition
Information Cracks	Repaired
Tie Downs	Accounted for
Bolts	Accounted for
Rod Rotator	A

Pitmans

Good Condition

Base sleeper Size and
Condition

8'x32'

Throat Bolt

Pin

Remarks

Replace Ampscot brake cable

Unit has no high mount pad does have engine rails.

Remove tail, repair cracks, install tail

Pictures