

11/20/08 12:23:09

BOM # Rev# Dwg Ref  
 =====  
 BNMW-1559-1 REV1 BMS 2000

Qty UOM Product Description  
 =====  
 1.00 EA SO MANUFACTURING SPECIAL ORDER  
 ZIRCO SAFETY-LIGHT MODEL ACL-5100 IGNITION

CONTROL SYSTEM, SETUP FOR 24 VDC (2.4 WATT)

OPERATION, 1-SHUTDOWN INTERLOCK, 2-SOLENOID

VALVE OUTPUTS (PILOT & MAIN), SYSTEM ON,

PILOT ON, AND ALARM INDICATING LED'S C/W

INSTALLATION KIT, M 50 PILOT MIXER AND PILOT

NOZZLE

ESD 2000 1.00 EA MISC

MISC ITEM (MFG. ONLY)

1" CERTIFIED AUTOMATIC SAFETY SHUTOFF VALVE WITH PROOF OF

CLOSURE, CLASS 1 DIV 1 6.5-2000 C/I. MIN. ACTUATOR OPERATING

PRESSURE 60 PSI

SUPPLIED WITH VT 100

FF 2000 1.00 EA SO

MANUFACTURING SPECIAL ORDER

WENCO SB30/18-18-NG FIREBOX FLAME ARRESTOR

TWO PIECE O-TYPE HOUSING ALL ALUMINUM CONST.

30" FLAME CELL ELEMENT TO FIT A 18" FIRE TUBE

BURNER RATED TO 1.5MMBTU. C/W ACL M150 AIR

BOM

AS BUILT

11/20/08 12:23:09

| BOM #         | Rev# | Dwg Ref | Qty  | UOM | Product Description                                                                                                                                                      |
|---------------|------|---------|------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BNMP-1559-1   | REV1 | FF 2000 | 1.00 | EA  | SO<br>MANUFACTURING SPECIAL ORDER<br>FUEL MIXER,ACL B15016 VENTURI BARREL AND                                                                                            |
| LG 2000       |      |         | 1.00 | SET | ACL ON15018 HIGH EFFICIENCY NOZZLE.<br>SITE GLASS VALVE W/BALL CHECK CONBRACO 1/2" 900 PSI @ 100 F<br>BRASS (20-151-03/20-150-03)                                        |
| LSHH 2000     |      |         | 1.00 | EA  | 599928<br>SCRUBBER FLOAT 2" , HLSD<br>COMES WITH V 300                                                                                                                   |
| LSLL 2000     |      |         | 1.00 | EA  | 914005<br>ELECTRIC LEVEL SWITCH , SOR , 2" NPT , 303 SS BODY, 316 SS<br>FLOAT , MODEL 1510B-G2A-C-W9-ES-CS ,                                                             |
| PI 2000       |      |         | 1.00 | EA  | 122376<br>PRESSURE GAUGE WIKA 2-1/2" F 1/4" BM 0 - 30 PSI STAINLESS<br>STEEL ,                                                                                           |
| PT 2001/02/03 |      |         | 3.00 | EA  | MISC<br>MISC ITEM (MFG. ONLY)<br>PRESSURE GAUGE,WGI, 0-30 PSI,1/4" NPT,LIQUID FILLED                                                                                     |
| PRV 2000      |      |         | 1.00 | EA  | MISC<br>SUPPLIED WITH VT 100<br>MISC ITEM (MFG. ONLY)<br>FISHER 627 PRESSURE REGULATOR,1" NPT,SELF OPERATED,POSITIVE<br>SHUTOFF,ORIFICE SIZED TO MEET APPLIANCE CAPACITY |
| PRV 2001      |      |         | 1.00 | EA  | 268192<br>SUPPLIED WITH VT 100<br>PRESSURE REGULATOR , BELLOFRAM , TYPE 50, 962-275-200 , 1/4"<br>NPT , 0-120# ,                                                         |
| PRV 2002      |      |         | 1.00 | EA  | MISC<br>MISC ITEM (MFG. ONLY)<br>PRESSURE REGULATOR,BELLOFRAM,1/4" NPT,0-60# TYPE T-50                                                                                   |
| PRV 2003      |      |         | 1.00 | EA  | 571227<br>SUPPLIED WITH VT-100<br>PRESSURE REGULATOR , BELLOFRAM , T50 962-275-100 , 1/4" NPT<br>, 0-60# , **SUB FOR PART # 724099**                                     |

BOM

AS BUILT

BOM # Rev#  
 =====  
 BOMP-1559-1 REV1  
 PSHH 2000

Qty UOM Product Description  
 =====  
 1.00 EA MISC MISC ITEM (MFG. ONLY)

PRESSURE SWITCH, UNITED ELECTRIC CONTROLS, SERIES 12, 1/2"

NPT, FACTORY SET AT 14.9 PSI, CUSTOMER TO SET IN FIELD

PSLL 2000

1.00 EA MISC

SUPPLIED WITH VT-100  
 MISC ITEM (MFG. ONLY)

PRESSURE SWITCH, UNITED ELECTRIC CONTROLS, SERIES 12, 1/2"

NPT, FACTORY SET AT 3 PSI, CUSTOMER TO SET IN FIELD

PSV 2000

1.00 EA SO

SUPPLIED WITH VT-100  
 MANUFACTURING SPECIAL ORDER

RELIEF VALVE, TAYLOR, 1" NPT, STD TRIM

\* INSP. & TEST REPORT REQ'D\*, \*\* U.V. STAMP

REQ'D \*\* MODEL 8200, SET AT 1965 KPA.

SOV 2000/01

2.00 EA MISC

MISC ITEM (MFG. ONLY)

ACL-SV-SO-1, 1/8" NPT CERTIFIED GAS SAFETY SHUT OFF VALVE

CSA 6.5-2000, CSA C22.2, C/I

SUPPLIED WITH VT 100

TC 2000

1.00 EA 517750

THERMOSTAT, KIMRAY, CAST IRON, T-12,

TCV 2000

1.00 EA MISC

MISC ITEM (MFG. ONLY)

CONTROL VALVE, FISHER 119, 1" NPT, 5-35 PSIG INPUT, 125 PSIG

MAMP, STD TRIM, ORIFICE SIZED TO MEET APPLIANCE CAPACITY

BOM

AS BUILT

| BOM #       | Rev#  | Drwg Ref        | Qty   | UOM   | Product Description                                                                |
|-------------|-------|-----------------|-------|-------|------------------------------------------------------------------------------------|
| =====       | ===== | =====           | ===== | ===== | =====                                                                              |
| BNWP-1559-1 | REV1  | TCV 2000        | 1.00  | EA    | MISC MISC ITEM (MFG. ONLY)                                                         |
|             |       |                 |       |       | SUPPLIED WITH VT-100                                                               |
|             |       | TI 2000         | 1.00  | EA    | 551697 THERMOMETER, 3" DIAL TREND 6" STEM -20 TO 120C / 0 TO 250F 304SS , MODEL 33 |
|             |       | TSHH 2000       | 1.00  | EA    | SO MANUFACTURING SPECIAL ORDER                                                     |
|             |       |                 |       |       | CCS DUAL SNAP TEMPERATURE SWITCH, MODEL                                            |
|             |       | V 2000          | 1.00  | EA    | 193998 6900TE 14,CUSTOMER TO FIELD SET                                             |
|             |       |                 |       |       | SCRUBBER , 8-5/8" X 30" X 285# , 1/8" CA , SWEET SERVICE , BC, AB, SK REGISTERED , |
|             |       | 1/4" BALL VALVE | 4.00  | EA    | 472672 BALL VALVE BARSTOCK 1/4" 2000 # RP SCR'D , CARBON STEEL BODY, NACE TRIM     |
|             |       | 1/4" NEEDLE     | 3.00  | EA    | MISC MISC ITEM (MFG. ONLY)                                                         |
|             |       |                 |       |       | NEEDLE VALVE,ANDERSON GREENWOOD,1/4" 6000# M X F                                   |
|             |       | 1" BALL VALVE   | 2.00  | EA    | MISC CARBON STEEL,STD TRIM,SUPPLIED WITH VT 100                                    |
|             |       |                 |       |       | MISC ITEM (MFG. ONLY)                                                              |
|             |       |                 |       |       | 1" MANUAL SHUTOFF VALVE,SOFT SEAT,EMICO 720 SERIES UL/ULC                          |
|             |       | 1" BALL VALVE   | 2.00  | EA    | 692152 OR EQUIVALENT,SUPPLIED WITH VT 100                                          |
|             |       |                 |       |       | BALL VALVE BARSTOCK 1" 2000 # RP SCR'D , CARBON STEEL BODY, NACE TRIM              |
|             |       | 2" BALL VALVE   | 1.00  | EA    | 662841 BALL VALVE BARSTOCK 2" 2000 # RP SCR'D , CARBON STEEL BODY, NACE TRIM       |
|             |       | 3/4" BALL VALVE | 1.00  | EA    | 014497 BALL VALVE BARSTOCK 3/4" 2000 # RP SCR'D , CARBON STEEL BODY, NACE TRIM     |

\* \* \* END OF REPORT \* \* \*

BOM

AS BUILT