




Customer:	FUELLED	Description:	GLYCOL FILTER		
Facility:	N/A	Location:	OVINTIV STORAGE YARD		
Reg A#:	NB# 41558	Serial #:	169564-2	Drawing#:	9
CRN #:	OH4852.213	Unit #:	N/S	Year Built:	2002
Manufacturer:	PERRY EQUIPMENT				
Shell MAWP:	1896 kPa	Shell MAWT:	104°C	Shell Material:	N/S
				Nominal:	N/S
				CA:	1.6mm
Tube "A" MAWP:		Tube "A" MAWT:		Head Material:	N/S
				Nominal:	N/S
				CA:	1.6mm
Tube "B" MAWP:		Tube "B" MAWT:		Tube Material:	
				Nominal:	
				CA:	
Size:	6in x 32in	Manway:	NO	MDMT:	-29°C
				Boot Shell Mat:	
				Nominal:	
				CA:	
Insulated:	NO	C Stamp:	U	RT:	NO
		PWHT:	NO	Boot Head Mat:	
				Nominal:	
				CA:	





UTS Data Sheet

Client: **Fuelled**

Facility: **n/a**

LSD: **Ovintiv Storage Yard**

Equip Description: **Glycol Filter**

Serial #: **169564-2**

Drawing #: **9**

902

Description: **Upper Shell**

Date: Oct. 29, 24

Minimum: 4.7

Average: 4.9

Comments:

Nominal
Thickness
(mm)

Corrosion
Allowance
(mm)

Flag
Thickness
(mm)

3.2

904

Description: **Lower Shell**

Date: Oct. 29, 24

Minimum: 4.7

Average: 4.9

Comments:

3.2

NB# 41558
Glycol Filter

