



Customer: FUELLED Description: GLYCOL FILTER

Facility: N/A Location: OVINTIV STORAGE YARD

Reg A#: NB# 41559 Serial #: 169564-3 Drawing#: 8

CRN #: OH4852.213 Manufacturer: PERRY EQUIPMENT Unit #: N/S Year Built: 2002

Shell MAWP: 1896 kPa Shell MAWT: 104°C Shell Material: N/S Nominal: N/S CA: 1.6mm

Tube "A" MAWP: Tube "A" MAWT: Head Material: N/S Nominal: N/S CA: 1.6mm

Tube "B" MAWP: Tube "B" MAWT: Tube Material: Nominal: CA:

Size: 6in x 32in Manway: NO MDMT: N/S Boot Shell Mat: Nominal: CA:

Insulated: NO C Stamp: U RT: NO PWHT: NO Boot Head Mat: Nominal: CA:

PSV DATA

Manufacturer: MERCER Serviced By: APEX VALVE

Model: 91-17051194L1 Service Date: OCT/23/13


Serial: A75955 Code Stamp: UV

Set Pressure: 207 kPa CRN: OG2606.5C

Capacity: 19 USGPM Location: INLET PIPING

Tag: PW 26307 Inlet Size: 1" MT

Flows To: INLET PIPING Outlet Size: 1" FT





UTS Data Sheet

Client: **Fuelled**

Facility: **n/a**

LSD: **Ovintiv Storage Yard**

Equip Description: **Glycol Filter**

Serial #: **169564-3**

Drawing #: **8**

802

Description: **Upper Shell**

Date: Oct. 29, 24

Minimum: 4.5

Average: 4.7

Comments:

Nominal Thickness (mm)	Corrosion Allowance (mm)	Flag Thickness (mm)
------------------------------	--------------------------------	---------------------------

3.0

804

Description: **Lower Shell**

Date: Oct. 29, 24


Minimum: 4.7

Average: 4.8

Comments:

3.2

NB# 41559
Glycol Filter



NB# 41559
Glycol Filter

