





- NOTES:**
1. ALL PROCESS TUBING TO BE SWEET C/V CHROMIUM PLATED
 2. ALL INSTRUMENTATION TUBING TO BE SWEET C/V CHROMIUM
 3. ALL SWEET FITTINGS AND STAINLESS STEEL FERRULES
 4. UNIT COMPLETE WITH SEAL, PUMP
 5. HAVE 1/2" CA. SPOT 3" DIA. AND HYDRO TESTING
 6. SANDBLAST SECTION SPILLS DOWNSTREAM OF ONE SCREENS
 7. ESTIMATE INCHLB. WEIGHT 23,000 LBS. (TAC)
 8. BUILDING OVERALL HEIGHT IS 11'-3" 1/2"

- 1** INITIAL SECTION
2 FINAL DISCHARGE
3 HIGH PRESSURE VENT HEADER
4 ENGINE WASTE OIL TANK BRAIN
5 OIL TANK FILL/BRN
6 SCUBBER BRAIN HEADER
7 LOW PRESSURE STARTER VENT HEADER
8 LOW PRESSURE INSTRUMENT VENT HEADER

- CUSTOMER CONNECTIONS:**
- 1-4" 3000 BRVN
 - 2-4" 3000 BRVN
 - 3-4" 3000 BRVN
 - 4-4" 3000 BRVN
 - 5-4" 3000 BRVN
 - 6-4" 3000 BRVN
 - 7-4" 3000 BRVN
 - 8-4" 3000 BRVN
 - 9-4" 3000 BRVN
 - 10-4" 3000 BRVN
 - 11-4" 3000 BRVN
 - 12-4" 3000 BRVN
 - 13-4" 3000 BRVN
 - 14-4" 3000 BRVN
 - 15-4" 3000 BRVN
 - 16-4" 3000 BRVN
 - 17-4" 3000 BRVN
 - 18-4" 3000 BRVN
 - 19-4" 3000 BRVN
 - 20-4" 3000 BRVN
 - 21-4" 3000 BRVN
 - 22-4" 3000 BRVN
 - 23-4" 3000 BRVN
 - 24-4" 3000 BRVN
 - 25-4" 3000 BRVN
 - 26-4" 3000 BRVN
 - 27-4" 3000 BRVN
 - 28-4" 3000 BRVN
 - 29-4" 3000 BRVN
 - 30-4" 3000 BRVN
 - 31-4" 3000 BRVN
 - 32-4" 3000 BRVN
 - 33-4" 3000 BRVN
 - 34-4" 3000 BRVN
 - 35-4" 3000 BRVN
 - 36-4" 3000 BRVN
 - 37-4" 3000 BRVN
 - 38-4" 3000 BRVN
 - 39-4" 3000 BRVN
 - 40-4" 3000 BRVN
 - 41-4" 3000 BRVN
 - 42-4" 3000 BRVN
 - 43-4" 3000 BRVN
 - 44-4" 3000 BRVN
 - 45-4" 3000 BRVN
 - 46-4" 3000 BRVN
 - 47-4" 3000 BRVN
 - 48-4" 3000 BRVN
 - 49-4" 3000 BRVN
 - 50-4" 3000 BRVN
 - 51-4" 3000 BRVN
 - 52-4" 3000 BRVN
 - 53-4" 3000 BRVN
 - 54-4" 3000 BRVN
 - 55-4" 3000 BRVN
 - 56-4" 3000 BRVN
 - 57-4" 3000 BRVN
 - 58-4" 3000 BRVN
 - 59-4" 3000 BRVN
 - 60-4" 3000 BRVN
 - 61-4" 3000 BRVN
 - 62-4" 3000 BRVN
 - 63-4" 3000 BRVN
 - 64-4" 3000 BRVN
 - 65-4" 3000 BRVN
 - 66-4" 3000 BRVN
 - 67-4" 3000 BRVN
 - 68-4" 3000 BRVN
 - 69-4" 3000 BRVN
 - 70-4" 3000 BRVN
 - 71-4" 3000 BRVN
 - 72-4" 3000 BRVN
 - 73-4" 3000 BRVN
 - 74-4" 3000 BRVN
 - 75-4" 3000 BRVN
 - 76-4" 3000 BRVN
 - 77-4" 3000 BRVN
 - 78-4" 3000 BRVN
 - 79-4" 3000 BRVN
 - 80-4" 3000 BRVN
 - 81-4" 3000 BRVN
 - 82-4" 3000 BRVN
 - 83-4" 3000 BRVN
 - 84-4" 3000 BRVN
 - 85-4" 3000 BRVN
 - 86-4" 3000 BRVN
 - 87-4" 3000 BRVN
 - 88-4" 3000 BRVN
 - 89-4" 3000 BRVN
 - 90-4" 3000 BRVN
 - 91-4" 3000 BRVN
 - 92-4" 3000 BRVN
 - 93-4" 3000 BRVN
 - 94-4" 3000 BRVN
 - 95-4" 3000 BRVN
 - 96-4" 3000 BRVN
 - 97-4" 3000 BRVN
 - 98-4" 3000 BRVN
 - 99-4" 3000 BRVN
 - 100-4" 3000 BRVN

1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---



FRICK TDSH 233L PORT DESCRIPTIONS
(AS PER FRICK DWG. #033400224)



1. FOR ALL OTHER NOTES AND GENERAL INFORMATION SEE DIV. 601

2	SOLD TO HUSKY/CHANGED FRAME SIZE FROM 23XL TO 23XSL	10/05/01	UK
1	AS BUILT	09/11/01	UK
0	ISSUED FOR CONSTRUCTION	04/09/01	UK
No.	REVISION	DATE	BY

ENERGY INDUSTRIES INC. 4303 - 17TH STREET NE, CALVERT, ALBERTA CANADA		DISTRICT:	
TITLE:		HARRY ENERGY INC. OPERATIONAL EXPENSE SOUNDS GAS COMPRESSION DATE: 09-17-99-01 W44	
UTILITY FLOW DIAGRAM OPERATIONAL EXPENSE DATE: 04/09/01 DR-X-CHANNERS 7249H		DATE RECEIVED:	
STEP: 510	SCALE: NONE	UNIT: 5100	RELEASED BY:
DATE: 04/09/01		DRAWING NO.: 5100-02	
UNIT: 5100		REL: 2	