

ELECTRICAL EXHIBIT

BATTERY TEST REPORT



Client / Project Name:	Fuelled / Capstone C600S Natural Gas Gen Inspection	Form No:	PHO-Q-500.3.05 R2
PES Project No:		Contract / PO / AFE:	
Client Reference:		Building / Skid No:	
Location:	Capstan Hauling 10102 95 Ave, Clairmont, AB T8X 0M6	Building / Skid Name:	600 kw Capstone C600S
Test Equipment Used:	Fluke 1587 FC	Test Equip Serial No:	59470166

GENERATOR INFORMATION

Manufacturer:	Capstone	Serial No:	9269
Model:	C-600S	Year:	2016

INSPECTION

P/N	SER. NO	Battery No.	Cell Condition	Voltage	ENGINE FILTER	DESICCANT/SEAL
513182201358	000417	BAY-B #1	N/A	288.6 VDC	BAY-B INSTALLED	BAY-B INSTALLED
513182201358	000393	BAY-B #2	N/A	290.4 VDC		
513182201358	000415	BAY-C #1	N/A	289.6 VDC	BAY-C INSTALLED	BAY-C INSTALLED
513182201125	000413	BAY-C #2	N/A	290.3 VDC		
513182201358	000402	BAY-D #1	N/A	292.9 VDC	BAY-D INSTALLED	BAY-B INSTALLED
513182201358	000385	BAY-D #2	N/A	291.5 VDC		

NOTES

Please reference attached pictures


INSPECTION AND APPROVAL

Phoenix Rep	Name: Matt Cox Role:	Signature: <i>Matt Cox</i>	Date: Oct 17, 2023
Client Rep	Name: Role:	Signature:	Date:

Bay-B

288.6VDC
battery-1

290.4VDC
battery-2





Bay-B



Bay-B

CE

E209370

Bay-C




WARNING

- Extremely high current.
- Avoid short circuit.
- DO NOT charge in a gas tight container.
- Sealed Lead Battery.
- Battery must be recycled.
- DO NOT ATTEMPT TO HAND LIFT BATTERY PACK.
- LIFT UNIT ONLY WITH APPROPRIATE SPREADER BAR.



CAUTION DO NOT TIP BATTERY



BATPACK
P/N: 513182201358
SER. NO: 000415

HI POT
TESTED



DANGER
Risk of Electric Shock
Do not touch battery terminal



WARNING
Risk of Electric Shock
Do not remove cover. No user serviceable parts inside. Refer servicing to qualified service personnel.



DANGER
HIGH VOLTAGE

BATT 1

289.6VDC
battery-1




WARNING

- Extremely high current.
- Avoid short circuit.
- DO NOT charge in a gas tight container.
- Sealed Lead Battery.
- Battery must be recycled.
- DO NOT ATTEMPT TO HAND LIFT BATTERY PACK.
- LIFT UNIT ONLY WITH APPROPRIATE SPREADER BAR.



CAUTION DO NOT TIP BATTERY



BATPACK
P/N: 513182201125
SER. NO: 000413

HI POT
TESTED



DANGER
Risk of Electric Shock
Do not touch battery terminal



WARNING
Risk of Electric Shock
Do not remove cover. No user serviceable parts inside. Refer servicing to qualified service personnel.



DANGER
HIGH VOLTAGE

BATT 2

290.3VDC
battery-2

WARNING
INLET CAP AND DECONTAMINATION BAGS MUST BE REMOVED PRIOR TO ANY SERVICE OPERATION



Bay-C



Bay- C

Bay-D

Capstone
21211 NORDHOFF STREET
CHATSWORTH, CA 91311

WARNING

- Extremely high current.
- Avoid short circuit.
- DO NOT charge in a gas tight container.
- Sealed Lead Battery.
- Battery must be recycled.
- DO NOT ATTEMPT TO HAND LIFT BATTERY PACK.
- LIFT UNIT ONLY WITH APPROPRIATE SPREADER BAR.

NONSPILLABLE Pb

DANGER
HIGH VOLTAGE
KEEP OUT!

CAUTION
DO NOT TIP BATTERY

519743-001

BATPACK
P/N: 513182201358
SER. NO: 000402

HI POT TESTED

DANGER
Risk of Electric Shock
Do Not touch battery terminal

WARNING
Risk of Electric Shock
Do not remove cover.
No user serviceable parts inside.
Refer servicing to qualified service personnel.



DANGER
HIGH VOLTAGE

BATT 1

292.9VDC
battery-1

Capstone
21211 NORDHOFF STREET
CHATSWORTH, CA 91311

WARNING

- Extremely high current.
- Avoid short circuit.
- DO NOT charge in a gas tight container.
- Sealed Lead Battery.
- Battery must be recycled.
- DO NOT ATTEMPT TO HAND LIFT BATTERY PACK.
- LIFT UNIT ONLY WITH APPROPRIATE SPREADER BAR.

NONSPILLABLE Pb

DANGER
HIGH VOLTAGE
KEEP OUT!

CAUTION
DO NOT TIP BATTERY

519743-001

BATPACK
P/N: 513182201358
SER. NO: 000385

HI POT TESTED

DANGER
Risk of Electric Shock
Do Not touch battery terminal

WARNING
Risk of Electric Shock
Do not remove cover.
No user serviceable parts inside.
Refer servicing to qualified service personnel.



DANGER
HIGH VOLTAGE


BATT 2

291.5VDC
battery-2



Bay-D

CAUTION
Check door stop when
opening and closing



Bay- D