










ISSUED FOR CONSTRUCTION
 Approved JB Date 17/08/11



BUILDING DESCRIPTION

- 8'-0"W x 14'-0"LG x 8'-0"/8'-6"H SELF-FRAMING SHED ROOF
- 22 GAUGE GALVALUME EXTERIOR
- 24 GAUGE FLUTED ALUMINUM INTERIOR LINER
- INSULATION: R12 ROOF, R12 WALLS, 4 MIL VAPOUR BARRIER
- ONE (1) 6'x7' DOUBLE DOOR c/w IWG, PANIC HARDWARE, LOCKSET, CHECKCHAIN, CLOSURE AND WEATHER STRIPPING
- ONE (1) 18" x 18" ADJUSTABLE LOUVRE w/OUTSIDE CONTROLS
- ONE (1) 18" x 18" GRAVITY INTAKE LOUVRE
- FOUR (4) 9" ROOF VENTS
- ONE (1) 12 ACPH, 120V, EXHAUST FAN, EX. PROOF
- ONE (1) CHART BOX
- SKID C/W 3" DRIP LIP



BRITTANIA INDUSTRIES 2009 INC.

2313 - 8TH STREET
 NISKU, AB T9E 7Z3
 PH: 780-955-7524
 FAX: 780-955-7468
 TOLL FREE: 866-955-7524

REV	DESCRIPTION	DATE	BY	SCALE	CLIENT PO NO.
0	ISSUED FOR CONSTRUCTION	17/08/11	JB	NTS	11017-PO-006
A	ISSUED FOR CUSTOMER APPROVAL	12/08/11	JB		
REVISION HISTORY					
JOB No. 20501					

BUILDING LAYOUT
BLACKMER HD172C / 5 HP ELECTRIC
 PROJECT:
 LSD:

CUSTOMER CANADIAN ABRAXUS
 c/o WESTVIEW ENGINEERING LTD. DWG NO. 20501-201 REV. 0