

Urgent
 For Review
 Please Comment
 Please Reply
 Please Recycle

● Comments: Select this text and delete it or replace it with your own. To save changes to this template for future use, choose Save As from the File menu. In the Save As Type box, choose Document Template. Next time you want to use it, choose New from the File menu, and then double-click your template.


To: Jeff Rutherford
From: Norm Bessette

Fax: 403-262-5561 **Pages:** Lots

Phone: 403-716-1342 **Date:** April 24, 2012

Re: Kakut log sheets **cc:**

Fax



[phone] 780-568-2100
 [fax] 780-568-2711

Coalescer Press
Diff.
Temp.
Contactor Temp.
Press.
Diff.
Sweet Scrub.Press.
Temp.
Carbon Filter Flow
Lean Amine Flow Rate
Charge Pump Press.
Reflux Accum. Temp.
Press.
Reflux Pump Press.
365
Booster Pump Press.
Lean Amine Into Exch.
Lean Amine Out Exch.
Rich Amine In Exch.
Particle Filter Diff.
Flash Tank Press.
Flash Tank Temp.
Reboiler Press.
Reboiler Level
Reboiler Temp.
Regen. Overhead Temp.
Reflux Out Temp.
Amine In Temp.
Amine Out Temp.
Cooler Amb. Temp.
Antifoam

6500	7100	6900	7000	6850	6200	6300	6700	6500
0	0	0	0	0	0	0	0	0
25	25	24	24	24	24	24	24	26
30	24	26	25	26	30	31	30	30
6500	7000	6900	6900	6700	6200	6300	6700	6500
14.0	14.3	14.6	13.9	14.5	14.7	14.8	14.9	15.4
6500	7000	6900	6900	6700	6200	6300	6700	6500
3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
58	58	59	58	58	58	58	58	58
6700	7300	7150	7300	7100	7100	6500	6500	6500
40	43	46	38	33	42	42	44	44
70	70	70	70	70	70	70	70	70
365	365	365	365	365	360	360	360	360
440	420	415	415	415	410	415	410	410
110	110	110	111	110	108	110	110	110
53	53	53	52	53	54	53	55	52
83	83	83	84	84	82	84	84	83
23	23	25	24	24	27	26	28	25
480	480	480	480	480	480	480	480	480
25	24	26	24	26	27	27	30	31
80	80	80	80	80	80	80	80	80
6.5	6	4	6	6	6.5	6.5	9	5.5
113	115	114.7	114.7	114.5	114.4	114.4	114.5	114
109	102	110	102	109	109	110	110	110
45	38	45	44	40	48	48	52	52
57	54	56	53	55	55	55	57	55
27	22	24	25	25	26	26	28	27
2	0	0	0	0	0	0	0	0

Date: April 2012

Kakui

Galleon Energy
Amino Train B

4	5	6	2	8	9	10	11	12
---	---	---	---	---	---	----	----	----

18	20	21	22	23	24	25	26
60	70	60	60	60	65	61	60
780	780	760	760	770	770	780	780
18	21	20	20	21	20	21	20
73	73	73	73	72	72	72	72
59	59	59	59	59	59	60	60
50	0	20	10	25	0	0	0
58	60	60	60	60	60	60	60
120	120	120	120	120	120	120	120
140	140	140	135	135	135	135	135
6600	6700	6700	6700	6600	6500	6500	6500
1	1	1	1	1	1	1	1
-22.7	-22.7	-22.6	-22.7	-22.4	-22	-22.5	-22.5
6400	6400	6350	6400	6300	6200	6150	6150
-9	-8	-9	-9	-8	-8	-9	-9
39	41	40	40	40	41	40	40
320	320	320	330	320	320	320	320
0	2	3	2	3	5	7	7
790	790	800	770	800	800	800	800
72	73	72	72	71	73	73	73
1300	1300	1300	1300	1290	1300	1250	1250
91	91	90	89	90	91	91	91
4.7	7	6.8	6.5	10.3	4.9	6.3	6.3
82	83	83	82	86	84	83	83
90	79	80	82	87	83	81	81
940	972	967	934	940	1012	1000	1000
-23	-22	-22	-23	-22	-22	-22	-22
25	27	28	25	27	27	25	25
20	21	22	20	21	22	20	20
-11	-10	-10	-10	-10	-10	-10	-10
6300	6500	6400	6500	6400	6350	6350	6350

- Tanksafe Level
- C-3 Receiver Level
- Press.
- Temp.
- E.G. 80/20 Tank Level
- Glycol Regen.: Pilot Press.
- Burner Press.
- Surge Tank Temp.
- Reboiler Temp.
- P-521 Heat Pump Press.
- Glycol Pump Inj. Press.
- F-415 Filter Diff. Press.
- F-414 Filter Diff. Press.
- LTS Temp.
- LTS Press.
- Condy to De-eth Temp.
- Glycol Flash Tank Temp.
- Press.
- F.G. Scrubber Temp.
- Press.
- NGL to Cooler Temp.
- De-ethanizer Press.
- Bottoms Temp.
- Overhead Gas Temp
- Retridge. Comp.: Disch. Temp.
- Suct. Press.
- Disch. Press.
- Suct. Temp.
- Process Diff. Press.
- Process: Inlet Temp.
- Outlet Temp.
- Chiller Inlet Temp.
- Chiller Inlet Press.
- Mycom oil level.

Galleon Energy Inc.
 Refridge Train B

Apr. 11, 2012

Date:

Kakut

4	10	11	12	13	14	15	16	17
70	70	70	70	70	70	70	70	70
750	750	750	790	790	790	790	790	790
Temp.								
E.G. 80/20 Tank Level								
Glycol Regen.: Pilot Press.								
Burner Press.								
Surge Tank Temp.								
Reboiler Temp.								
P-521 Heat Pump Press.								
Glycol Pump Inj. Press.								
F-415 Filter Diff. Press.								
F-414 Filter Diff. Press.								
LTS Temp.								
LTS Press.								
Condy to De-eth Temp.								
Glycol Flash Tank: Temp								
Press.								
F.G. Scrubber: Temp.								
Press.								
810	800	800	820	820	820	815	810	805
Press.								
NGL to Cooler Temp.								
De-ethanizer: Press.								
Bottoms Temp.								
Overhead Gas Temp.								
Refridge. Comp: Disch. Temp.								
Suct. Press.								
Disch. Press.								
Suct. Temp.								
Process Diff. Press.								
Process: Inlet Temp.								
Outlet Temp.								
Chiller Inlet Temp.								
Chiller Inlet Press.								
Mycorn oil level.								

Tanksafe Level
 C-3 Receiver Level
 Press.
 Temp.
 E.G. 80/20 Tank Level
 Glycol Regen.: Pilot Press.
 Burner Press.
 Surge Tank Temp.
 Reboiler Temp.
 P-521 Heat Pump Press.
 Glycol Pump Inj. Press.
 F-415 Filter Diff. Press.
 F-414 Filter Diff. Press.
 LTS Temp.
 LTS Press.
 Condy to De-eth Temp.
 Glycol Flash Tank: Temp
 Press.
 F.G. Scrubber: Temp.
 Press.
 810
 Press.
 NGL to Cooler Temp.
 De-ethanizer: Press.
 Bottoms Temp.
 Overhead Gas Temp.
 Refridge. Comp: Disch. Temp.
 Suct. Press.
 Disch. Press.
 Suct. Temp.
 Process Diff. Press.
 Process: Inlet Temp.
 Outlet Temp.
 Chiller Inlet Temp.
 Chiller Inlet Press.
 Mycorn oil level.

Kakut

Galleon Energy Inc.

Refridge Train B

April 9, 2012

Date:

