



ROOF CONSTRUCTION:

- 22 GA. GALVALUME R75-500 INTERLOCKING STRUCTURAL RIB PANELS
- R-12 AF085 FIBREGLASS BATT INSULATION C/W 6 MIL POLY VAPOUR BARRIER.
- 24 GA. FLUTED PROFILE UNPAINTED ALUMINUM LINER SHEETING.

WALL CONSTRUCTION:

- 22 GA. GALVALUME W114-400 INTERLOCKING STRUCTURAL RIB PANELS
- R-16 AF085 FIBREGLASS BATT INSULATION C/W 6 MIL POLY VAPOUR BARRIER.
- 24 GA. FLUTED PROFILE UNPAINTED ALUMINUM LINER SHEETING.

ACCESSORIES:

- A** TWO ONLY - 3'-0" X 7'-0" STEEL WALK-IN DOORS C/W PANIC HARDWARE, LOCK CYLINDER, INDUSTRIAL WIPED GLASS, HYDRAULIC CLOSURE, STEEL THRESHOLD, WEATHERSTRIPPING, SLEEP, AND EXTERIOR CANOPY.
- B** FOUR ONLY - 4'-0" X 3'-0" ALUMINUM SLIDING DOUBLE SLAZED WINDOWS C/W LOCK AND SCREEN.
- C** TWO ONLY - 10'-0" SECTIONS OF ROOF VENTILATOR C/W 3" (230) THROAT, SCREEN AND CHAIN OPERATED DAMPER BLADES.
- D** THREE ONLY - ET12 EXPLOSION PROOF WALL MOUNT EXHAUST FANS C/W GALVALUME WEATHER HOODS. 120V/1φ/60Hz
- E** FOUR ONLY - 24" X 24" (610 X 610) MANUALLY ADJUSTABLE WALL LOUVERS C/W SCREENS.



706-17th AVENUE
NISKU, ALBERTA T9E 7T1
PHONE: (403) 955-2951
FAX: (403) 955-7721

Customer:
GAS LIQUIDS ENGINEERING LTD.

Description:
PUSKWASKAU - REFRIGERATION BLDG.

Width: — 168
Length: — 528
Roof: — 4.0/12
Walls: — 168.0

Job No:
D6-1747-E
DWG. 1747-1