



Alpine NDT Services		Unit# >	-	PO# >	-	Date >	JULY 17, 2026
Client >	FUELLED	A# >	502970	Report# >	5632-2	Year >	2005
Contact >	DYLAN PIRES	Ser. # >	2261-9	Insulated >	NO	OD >	16"
Equipment >	LUBE OIL SEPARATOR	CRN# >	T1701.23	MAWP >	350 PSI	PWHT >	NO
Manufacturer >	PYRAMID CORP.	Service >	NOT IN SERVICE	Temp >	650 F	RT >	RT2



UT Machine	Make: Sonatest	Model: Alphagage+	Serial #: 5090891	Calibration Date: Dec. 2, 2025	www.alpinendt.ca	tim@alpinendt.ca
Transducer	Make: Stresstel	Frequency: 5 MHz	Serial #: 023PX8	Size: .250" Angle: 0°	Mode: Longitudinal	403-391-1747
Cal Block	Type: 4 Step	Reflector: BWE	Serial #: 11963"	Thickness: .250" - 1.000"	Technician	Caeden Aris
Code	ASME V Article 23 SE797	Temp	Ambient		Qualifications	CGSB MT2 SNT MT2 UT2
Acceptance	Client Specification	Material	Carbon Steel		CGSB#	24369
Procedure	UT-1 Rev.1 - Thickness Testing	Surface Prep	Painted			

Alpine NDT Services						Unit# >		-		PO# >		-		Date >		JULY 17, 2026	
Client > FUELLED						A# >		502970		Report# >		5632-2		Year >		2005	
Contact > DYLAN PIRES						Ser. # >		2261-9		Insulated >		NO		OD >		16"	
Equipment > LUBE OIL SEPARATOR						CRN# >		T1701.23		MAWP >		350 PSI		PWHT >		NO	
Manufacturer > PYRAMID CORP.						Service >		NOT IN SERVICE		Temp >		650 F		RT >		RT2	
No.		Orientation	Location	Material	Size	Sch.	Nom.	Min.	CA	A/V	Previous	Previous	Previous	Previous	Min.	Avg.	
00		Vertical	Shell	-	16"	STD	.375"	.328"	.1250"	Verified	-	-	-	-	.382"	.390"	
Comments:																	
05		Vertical	Shell	-	16"	STD	.375"	.328"	.1250"	Verified	-	-	-	-	.392"	.400"	
Comments:																	
10		Vertical	Shell	-	16"	STD	.375"	.328"	.1250"	Verified	-	-	-	-	.348"	.395"	
Comments:																	
15		Vertical	Head	-	16"	Plate	.3125"	.3125"	.1250"	Verified	-	-	-	-	.342"	.350"	
Comments:																	
20		Circ.	Pipe (Nozzle)	-	2"	160	.343"	.300"	.1250"	Assumed	-	-	-	-	.363"	.400"	
Comments: Scan taken on weld. (Only accessible area)																	
25		Circ.	Pipe (Nozzle)	-	2"	XXS	.436"	.382"	.1250"	Assumed	-	-	-	-	.406"	.425"	
Comments:																	
30		Circ.	Pipe (Nozzle)	-	2"	160	.343"	.300"	.1250"	Assumed	-	-	-	-	.288"	.300"	
Comments: Low through out pipe.																	
35		Circ.	Pipe (Nozzle)	-	1.5"	XS	.200"	.175"	.1250"	Assumed	-	-	-	-	.188"	.195"	
Comments:																	
40		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.192"	.210"	
Comments:																	
45		Vertical	Elbow	-	2.5"	XS	.276"	.242"	-	Assumed	-	-	-	-	.271"	.285"	
Comments:																	
50		Circ.	Reducer	-	2.5" x 2"	XS	.276"	.242"	-	Assumed	-	-	-	-	.236"	.280"	
Comments: Low on 2.5" side on south facing side. (1" x 1" washed area)																	
55		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.201"	.220"	
Comments:																	
60		Horizontal	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.202"	.220"	
Comments:																	
65		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.201"	.210"	
Comments:																	
70		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.200"	.210"	
Comments:																	
75		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.200"	.210"	
Comments:																	
80		Horizontal	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.197"	.210"	
Comments:																	
85		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.198"	.210"	
Comments:																	
90		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.201"	.210"	
Comments:																	
95		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.200"	.210"	
Comments:																	

Alpine NDT Services						Unit# > -				PO# > -				Date > JULY 17, 2026			
Client > FUELLED						A# > 502970				Report# > 5632-2				Year > 2005			
Contact > DYLAN PIRES						Ser. # > 2261-9				Insulated > NO				OD > 16"			
Equipment > LUBE OIL SEPARATOR						CRN# > T1701.23				MAWP > 350 PSI				PWHT > NO			
Manufacturer > PYRAMID CORP.						Service > NOT IN SERVICE				Temp > 650 F				RT > RT2			
No.		Orientation	Location	Material	Size	Sch.	Nom.	Min.	CA	A/V	Previous	Previous	Previous	Previous	Min.	Avg.	
100		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.192"	.210"	
Comments:																	
105		Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.192"	.200"	
Comments:																	
110		Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.187"	.195"	
Comments:																	
115		Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	N/A	N/A	
Comments:																	
120		Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.176"	.190"	
Comments:																	
125		Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.190"	.200"	
Comments:																	
130																	
Comments:																	
135																	
Comments:																	
140																	
Comments:																	
145																	
Comments:																	
150																	
Comments:																	
155																	
Comments:																	
160																	
Comments:																	
165																	
Comments:																	
170																	
Comments:																	
175																	
Comments:																	
180																	
Comments:																	
185																	
Comments:																	
190																	
Comments:																	
195																	
Comments:																	