





Alpine NDT Services		Unit# >	-	PO# >	-	Date >	JULY 17, 2026
Client >	FUELLED	A# >	-	Report# >	5632-3	Year >	-
Contact >	DYLAN PIRES	Ser. # >	P/N 699-0351	Insulated >	NO	OD >	-
Equipment >	COOLER	CRN# >	0H4584.213	MAWP >	425 PSI	PWHT >	NO
Manufacturer >	API AIRTECH	Service >	NOT IN SERVICE	Temp >	200 F	RT >	NONE



UT Machine	Make: Sonatest	Model: Alpagage+	Serial #: 5090891	Calibration Date: Dec. 2, 2025	www.alpinendt.ca	tim@alpinendt.ca
Transducer	Make: Stresstel	Frequency: 5 MHz	Serial #: 023PX8	Size: .250" Angle: 0°	Mode: Longitudinal	403-391-1747
Cal Block	Type: 4 Step	Reflector: BWE	Serial #: 11963"	Thickness: .250" - 1.000"	Technician	Caeden Aris
Code	ASME V Article 23 SE797	Temp	Ambient		Qualifications	CGSB MT2 SNT MT2 UT2
Acceptance	Client Specification	Material	Carbon Steel		CGSB#	24369
Procedure	UT-1 Rev.1 - Thickness Testing	Surface Prep	Painted			

Alpine NDT Services						Unit# > -		PO# > -		Date > JULY 17, 2026					
Client > FUELLED						A# > -		Report# > 5632-3		Year > -					
Contact > DYLAN PIRES						Ser. # > P/N 699-0351		Insulated > NO		OD > -					
Equipment > COOLER						CRN# > OH4584.213		MAWP > 425 PSI		PWHT > NO					
Manufacturer > API AIRTECH						Service > NOT IN SERVICE		Temp > 200 F		RT > NONE					
No.	Orientation	Location	Material	Size	Sch.	Nom.	Min.	CA	A/V	Previous	Previous	Previous	Previous	Min.	Avg.
00	Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.189"	.210"
Comments:															
05	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.187"	.195"
Comments:															
10	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.186"	.195"
Comments:															
15	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.188"	.195"
Comments:															
20	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.185"
Comments:															
25	Circ.	Pipe	-	1.5"	XS	.200"	.176"	-	Assumed	-	-	-	-	.175"	.185"
Comments:															
30	Circ.	Reducer	-	1.5" x 1.25"	XS	.191"	.167"	-	Assumed	-	-	-	-	.195"	.210"
Comments:															
35	Circ.	Pipe	-	1"	XS	.179"	.154"	-	Assumed	-	-	-	-	.165"	.175"
Comments:															
40	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.190"
Comments:															
45	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.181"	.190"
Comments:															
50	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.190"
Comments:															
55	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.190"
Comments:															
60	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.190"
Comments:															
65	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.177"	.190"
Comments:															
70	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.190"	.200"
Comments:															
75	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.190"
Comments:															
80	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.180"	.190"
Comments:															
85	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.188"	.195"
Comments:															
90	Circ.	Pipe	-	1.5"	XS	.200"	.175"	-	Assumed	-	-	-	-	.182"	.190"
Comments:															
95	Circ.	Reducer	-	1.5" x 1.25"	XS	.191"	.167"	-	Assumed	-	-	-	-	.188"	.210"
Comments:															

Alpine NDT Services						Unit# >	-		PO# >	-		Date >	JULY 17, 2026				
Client > FUELLED						A# >	-		Report# >	5632-3		Year >	-				
Contact > DYLAN PIRES						Ser. # >	P/N 699-0351		Insulated >	NO		OD >	-				
Equipment > COOLER						CRN# >	DH4584.213		MAWP >	425 PSI		PWHT >	NO				
Manufacturer > API AIRTECH						Service >	NOT IN SERVICE		Temp >	200 F		RT >	NONE				
No.		Orientation	Location	Material	Size	Sch.	Nom.	Min.	CA	A/V	Previous	Previous	Previous	Previous	Min.	Avg.	
100		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.182"	.195"	
Comments:		Low through out bottom half of pipe.															
105		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.132"	.180"	
Comments:		Low through out entrie elbow.															
110		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.201"	.210"	
Comments:																	
115		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.197"	.210"	
Comments:																	
120		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.201"	.210"	
Comments:																	
125		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.184"	.200"	
Comments:		Pitting noted through out bottom half of pipe. (Sharp pitting)															
130		Horizontal	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.200"	.210"	
Comments:																	
135		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.202"	.220"	
Comments:																	
140		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.194"	.210"	
Comments:																	
145		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.196"	.205"	
Comments:																	
150		Vertical	Elbow	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.204"	.210"	
Comments:																	
155		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.200"	.210"	
Comments:																	
160		Circ.	Pipe	-	2"	XS	.218"	.191"	-	Assumed	-	-	-	-	.204"	.210"	
Comments:																	
165		Circ.	Pipe	-	1"	XS	.179"	.154"	-	Assumed	-	-	-	-	.177"	.185"	
Comments:																	
170		Circ.	Pipe	-	1"	XS	.179"	.154"	-	Assumed	-	-	-	-	.172"	.180"	
Comments:																	
175		Circ.	Pipe	-	1"	XS	.179"	.154"	-	Assumed	-	-	-	-	.157"	.170"	
Comments:																	
180		Circ.	Pipe	-	1"	XS	.179"	.154"	-	Assumed	-	-	-	-	.172"	.180"	
Comments:																	
185																	
Comments:																	
190																	
Comments:																	
195																	
Comments:																	