



- 1) HEATERS TO HAVE RIGHT HAND CONTROLS WHEN VIEWED FROM
- 2) FLAMECELL END-ON-NON-REMOVABLE.
- 3) FLAMECELL HOUSING IS NON-REMOVABLE.
- 4) VESSEL EXTERIOR TO BE SANDBLASTED PER SSPC-SP6.
- 5) REBOILER AND ACCUMULATOR TO RECEIVE: (1) COAT ZINC CHROMATE PRIMER.
- 6) NON-INSULATED PORTIONS TO RECEIVE: (1) COAT VALSPAR WARM GREY ENAMEL (20-31) STICK TO RECEIVE: (1) COAT VALSPAR HIGH HEAT GREY (37-F-4)
- 7) HIGH HEAT GREY (37-F-4)
- 8) DOUBLE PLUGS TO PROJECT THROUGH INSULATION WHERE REQ'D.
- 9) REFER TO DWG. NO. B7113-640 SHT. 2 FOR RECONCENTRATOR DETAILS.

- 10) SHOP NOTE: "TS" DENOTES FAR SIDE
- 11) APPROXIMATE WEIGHT (INCLUDING STACK, FLAMECELL & FIRETUBE)
- 12) COIL TO CONSIST OF 1" SCH 80 SMLS PIPE @ 2" C/C PIPE @ 2" C/C DRAWN OVER A 1.6" MANDREL, AND (60) TURNS OF 1" SCH 80 SMLS PIPE @ 2" C/C DRAWN OVER A 10 3/4" MANDREL.
- 13) ALL BOLTING TO BE OF GRADE 5 MATERIAL SPECIFICATION.

NO.	REVISION	BY	CHKD.	DATE
0	ISSUED FOR CONSTRUCTION	TP		04/10/04
A	ISSUED FOR APPROVAL	TP		04/09/17

CUSTOMER REFERENCE	T.B.A.
--------------------	--------

CUSTOMER	TRIDENT EXPLORATION LTD.	JOB NO.	B7113-60
----------	--------------------------	---------	----------

PROJECT: DEHYDRATION PACKAGE / CBM COMPRESSOR STATION
LSD T.B.A.

TITLE: GR-750 (750,000 BTU/HR)
GLYCOL RECONCENTRATOR

DRAWN	CHECKED	APPROVED	SCALE	DATE	ISSUES	REVISIONS
TP			1/2"=1'-0"	04/09/17	B7113-640 SHT. 1 OF 3	

