Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)		
Equipment Type	3603_Heater Fired	
Equipment Description	4 MM BTU Lineheater	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location		·
Surface Location	07-29-065-9W6	
Process		choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Presson Manufacturing	· ·
Model	4 MM BTU	
A#	A 0188563	
Serial Number	P 420	
Skid ID#	16199	
Tech ID/P&ID	/	
Controllable Asset Indicator	Controllable Asset	choose from drop down
Alternate Jur #	/	
Alternate Province	/	
Capacity	/	
Capacity UOM	1	choose from drop down
CRN NÚMBER	E 4936.2	
DATE COMMISSIONED	Jul-82	mm/dd/yyyy
DIAMETER	80"	in
DIAMETER TYPE	OD	choose from drop down
DISCHARGE NOZZLE RATING	/	·
Flange Rating	4"2500In/8"600 Out	
Flange Rating UOM	ANSI	choose from drop down
FLASH ARRESOR	Presson Manufacturing	
Heating Surface	/	m2
INLET FLANGE SIZE	4"	
INLET NOZZLE RATING	2500	
Internal Access (Yes/No)	NO	choose from drop down
INTERNAL COATING	/	
LENGTH (IN)	336"	in (Seam to Seam)
MANWAY	NO	choose from drop down
MAWP Shell (kPa)	/	kPa
MAWP Tube (kPa)	9308	kPa
MAWT Shell	1	Č
MAWT Tube	93	C
OUTLET FLANGE SIZE	8"	
OWNER	Conoco	
Service Med, lig/gas/steam/air	GAS	choose from drop down
Shell MDMT. C	/	C
Tube MDMT, C		C

SHEII WIDWIT, C	,	O
Tube MDMT, C	/	С
Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and		
Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the		
process?		
le: Spool Piece Removed	NO	choose from drop down
How was the unit preserved?		
Compression as per MOC 24014 Technical		
Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved?		
Has A&OI Specialist provided preservation		
support for vessels and other equipment		choose from drop down
How was the unit preserved?		
Additional comments/Free Text		

## Additional Comments

\*\* STILL IN USE AS A METER SKID\*\*
Presson 4 MM BTU Lineheater
A 188563
S/N P 420
CRN E 4936.2
4"2500 Inlet
8"600 Outlet
Fire tube 24" X (336" X 2)
Flame Arrestor Presson Manufacturing

Data Collected On May 17/11 Data Collected By Brian Baile

<u>HOME</u>	Data Complete Yes/No
3603 Heater Fired	Yes
2814 Panel Control	#REF!
7522 Flame Arrester	Yes
9504 Scrubber	Yes
9104 Valve Motor Opr	Yes
4015 Acct Meter Pkg	#REF!
4016 Ref Meter Pkg	#REF!
4006 Flow Meter Turbine	#REF!
4007 Flow Meter Ultrasonic	#REF!
4008 Flow Meter Venturi	#REF!
4009 Flow Meter PD	#REF!
4017 Meter Run Senior	Yes
4018 Meter Run Junior	#REF!
4305 Transmitter (MVT)	#REF!
4316 Recorder Dryflow	#REF!
1004 Building	Yes
4304 Analyzer	#REF!
2903 Heater Electric	#REF!

Input Values Unit of Measure/Format Explanation SAP Equipment # (if known) Equipment Type 7522\_Flame Arrester Equipment Description
Maintenance Plant Flame Arrestor CBA\_Wapiti choose from drop down Area Level 3 Plant/Battery/Well unknown choose from drop down unknown choose from drop down **Bottom Hole Location** 0 Surface Location Process 07-29-065-9W6 0 choose from drop down Cost Centre
SAP Superior Equipment # (if known) GP ARS SURP-Surplus Presson Manufacturing Equipment Status Manufacturer choose from drop down Model 4 MM BTU A# Serial Number Skid ID# 16199 Tech ID/P&ID choose from drop down CRN NUMBER
DATE COMMISSIONED
DIAMETER
DIAMETER TYPE mm/dd/yyyy OD choose from drop down DISCHARGE NOZZLE RATING FIRED EQUIPMENT METHOD **HANDWAY** Head Material HEAD THICKNESS HEATING CAPACITY INLET FLANGE SIZE INLET NOZZLE RATING INTERNAL COATING ORIENTATION **OUTLET FLANGE SIZE** OWNER Conoco Service Med, liq/gas/steam/air SHELL LENGTH S/S GAS choose from drop down Shell Material SHELL THICKNESS

Data Complete Yes/No Yes

**Home Pkg Page** 

NO	choose from drop down
	choose from drop down
	choose from drop down
NO	choose from drop down
	choose from drop down
	choose from drop down
	·

Additional Comments	
Presson Manufacturing	
4.0 MM BTU	
NO OTHER MARKINGS ON FLAME ARRESTOR	

Input Values Unit of Measure/Format Explanation SAP Equipment # (if known) Equipment Type 9504\_Scrubber Equipment Description
Maintenance Plant Pre Fuel Gas Scrubber/Fuel Gas Scrubber CBA\_Wapiti choose from drop down Area Level 3 Plant/Battery/Well unknown choose from drop down unknown choose from drop down **Bottom Hole Location** 0 Surface Location Process 07-29-065-9W6 0 choose from drop down Cost Centre
SAP Superior Equipment # (if known) GP ARS Equipment Status Manufacturer SURP-Surplus choose from drop down Allied Welding Service/Presson Model 10X40X400/6X30X125 Α# A 0101828/ No A # Serial Number AM 11201-01/431400 Skid ID# 16199 Tech ID/P&ID Controllable Asset Indicator Alternate Jur # Controllable Asset choose from drop down Alternate Province Capacity Capacity UOM CRN NUMBER choose from drop down E 7405.2/O 3352.2 DATE COMMISSIONED 1982/Sept 87 mm/dd/yyyy DEMISTER PAD UNKNOWN choose from drop down DIAMETER 10"/6" DIAMETER TYPE Flange Rating OD choose from drop down Flange Rating UOM choose from drop down Heating Surface LENGTH (IN) 40"/30" in (Seam to Seam) MANWAY NO choose from drop down MAWP Shell (kPa) 2758/862 kpa MAWT Shell 24 OWNER 38 Service Med, liq/gas/steam/air choose from drop down GAS

Data Complete Yes/No Yes

**Home Pkg Page** 

Has the unit been isolated from the		
process?	NO	choose from drop down
Method of Isolation: Double Block and		
Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the		
process?		
le: Spool Piece Removed	NO	choose from drop down
How was the unit preserved?		
Compression as per MOC 24014 Technical		
Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved?		
Has A&OI Specialist provided preservation		
support for vessels and other equipment		choose from drop down
How was the unit preserved?		
Additional comments/Free Text		

**Additional Comments** 

Shell MDMT, C

Home Pkg Page

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)		
Equipment Type	4017_Meter Run Senior	
Equipment Description	8" Senior Meter Run	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-29-065-9W6	
Process	0	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Superior	
Model	3-015-08	
A#	/	
Serial Number	8060	
Skid ID#	16199	
Tech ID/P&ID	/	
AGA NUMBER	3C	
CRN NUMBER	O 3638.23	
DIFFERENTIAL RANGE	/	
DOWNSTREAM DIAMETER	7.613	
MAX ALLOW WORKING PRESS	1480	
METER RUN - MAKE	Barber Engineering	
METER RUN - MODEL	/	
METER RUN - S/N	6 960	
METER TYPE	/	
NOMINAL SIZE	8"	
ORIFICE CHANGER	/	
OWNER	Conoco	
RECORDER TOTALIZER	/	
Service Medium	/	
STATIC RANGE	/	
STRAIGHTENING VANES	/	
Taps	/	
Temperature Range	/	
UPSTREAM DIAMETER	7.615	

Has the unit been isolated from the		
process?	NO	choose from drop down
Method of Isolation: Double Block and		·
Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the		
process?		
le: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment How was the unit preserved?		choose from drop down
Additional comments/Free Text		

Additional Comments		
** STILL IN USE AS A METER SKIL	** STILL IN USE AS A METER SKID**	
Superior Senior Meter Run	Barber Engineering	
S/N 8060	S/N 6 960	
Cat # 3-015-08	CRN O 3638.23	
600 Ansi	Upstream 7.615	
CWP 1480 PSI	Downstream 7.613	
	AGA 3C	
	Year 2:92	

4017 MR Senior (Heater Pkg) 4 of 6 4017 MR Senior (Heater Pkg)

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)		
Equipment Type	1004_Building	
Equipment Description	Building	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-29-065-9W6	
Process	0	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Unknown	
Model	/	
A#	1	
Serial Number	1	
Skid ID#	16199	
Tech ID/P&ID	/	
Controllable Asset Indicator	Controllable Asset	choose from drop down
CRN NUMBER	/	
HVAC (Y/N)	NO	choose from drop down
Length	12'	indicate measurement
OWNER	Conoco	
PURPOSE	Shelter	
Service Med, liq/gas/steam/air	GAS	choose from drop down
SPRINKLER SYSTEM	NO	choose from drop down
STRUCTURE TYPE	Steel	
WIDTH	15'	indicate measurement

Has the unit been isolated from the process?
Method of Isolation: Double Block and NO choose from drop down Method of Isolation: Blinded?
Has the unit been disconnected from the choose from drop down choose from drop down process? le: Spool Piece Removed NO choose from drop down How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation choose from drop down How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment How was the unit preserved? Additional comments/Free Text choose from drop down

Additional Comments	
** STILL IN USE AS METER SKID**	
Building	
15'W X 12'L X 13'H	

Data Complete Yes/No Yes

Home Pkg Page

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	•	
Equipment Type	9104_Valve Motor Opr	
Equipment Description	Gate Valve/Contoller	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-29-065-9W6	
Process	0	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Fisher	
Model	/	
A#	1	
Serial Number	/	
Skid ID#	16199	
Tech ID/P&ID	/	
ACTUATOR MAKE	Fisher	
ACTUATOR SUPPLY TYPE	/	
ANSI RATING	/	
OWNER	Conoco	
PNEUMATIC/ ELECTRIC	Pneumatic	
PORT DIAMETER	3"	
Service Med, liq/gas/steam/air	GAS	choose from drop down
SIZE	3"	
Style	Gate Valve/Contoller	

Has the unit been isolated from the process?
Method of Isolation: Double Block and NO choose from drop down Bleed?
Method of Isolation: Blinded?
Has the unit been disconnected from the choose from drop down choose from drop down process? le: Spool Piece Removed NO choose from drop down How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation choose from drop down How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment How was the unit preserved? Additional comments/Free Text choose from drop down

Additional Comments		
fisher 3" Gate Valve		
Fisher Contoller		

Data Complete Yes/No Yes

Home Pkg Page