

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	zna	
Equipment Type	3603 Heater Fired	
Equipment Description	2.5 MM BTU Alco Lineheater	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location		
Surface Location	07-05-069-10W6	
Process	DEH1_Dehydration	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Alco	
Model	2.5 MM BTU	
Manuf Part No	A0245002	
Serial Number	87C-3776-02	
Skid ID#	/	
Tech ID/P&ID	/	
Controllable Asset Indicator	Controllable Asset	choose from drop down
Alternate Jur #	/	
Alternate Province	/	
Capacity	/	
Capacity UOM	/	choose from drop down
CRN NUMBER	D 3826.21	
DATE COMMISSIONED	1987	mm/dd/yyyy
DIAMETER	60"	in
DIAMETER TYPE	OD	choose from drop down
DISCHARGE NOZZLE RATING	600	
Flange Rating	600	
Flange Rating UOM	ANSI	choose from drop down
FLASH ARRESOR	/	
Heating Surface	/	m2
INLET FLANGE SIZE	4"	
INLET NOZZLE RATING	2500 Ansi	
Internal Access (Yes/No)	NO	choose from drop down
INTERNAL COATING	/	
LENGTH (IN)	306	in (Seam to Seam)
MANWAY	NO	choose from drop down
MAWP Shell (kPa)	/	kPa
MAWP Tube (kPa)	Pre 28959/Re 9928	kPa
MAWT Shell	/	C
MAWT Tube	121	C
OUTLET FLANGE SIZE	4"	
OWNER	Conoco	
Service Med, liq/gas/steam/air	GAS	choose from drop down
Shell MDMT, C	/	C
Tube MDMT, C	-29	C

Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the process?		
Ie: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment		choose from drop down
How was the unit preserved? Additional comments/Free Text		

Additional Comments	
UNIT STILL IN USE AS METER RUN Fuel Gas Scrubber 12X30X150 Willis M3 Choke Fisher 656 Controller Daniel Junior Meter Run Alco Flame Arrstor LA Metal Buildings	

Data Collected By	Data Collected On
Brain Baile	Oct 12/11

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	zna	
Equipment Type	7522_Flame Arrester	
Equipment Description	Alco Flame Arrester	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-05-069-10W6	
Process	DEH1_Dehydration	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Alco Gas & Oil	
Model	/	
Manuf Part No	No Markings	
Serial Number	No Markings	
Skid ID#	/	
Tech ID/P&ID	/	
ANODES	/	choose from drop down
CRN NUMBER	No Markings	
DATE COMMISSIONED	No Markings	mm/dd/yyyy
DIAMETER	20"	
DIAMETER TYPE	OD	choose from drop down
DISCHARGE NOZZLE RATING	/	
FIRE EQUIPMENT METHOD	/	
HANDWAY	/	
Head Material	/	
HEAD THICKNESS	/	
HEATING CAPACITY	/	
INLET FLANGE SIZE	/	
INLET NOZZLE RATING	/	
INTERNAL COATING	/	
ORIENTATION	/	
OUTLET FLANGE SIZE	/	
OWNER	Conoco	
Service Med, liq/gas/steam/air	GAS	choose from drop down
SHELL LENGTH S/S	306"	
Shell Material	Steel	
SHELL THICKNESS	/	

Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the process?		
Ie: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment		choose from drop down
How was the unit preserved? Additional comments/Free Text		

Additional Comments

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	zna	
Equipment Type	9504_Scrubber	
Equipment Description	Fuel Gas Scrubber	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-05-069-10W6	
Process	DEH1_Dehydration	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Alco Gas& Oil	
Model	12X30X150	
Manuf Part No	No A #	
Serial Number	87C-3776-04C	
Skid ID#	/	
Tech ID/P&ID	/	
Controllable Asset Indicator	Controllable Asset	choose from drop down
Alternate Jur #	/	
Alternate Province	/	
Capacity	/	
Capacity UOM	/	choose from drop down
CRN NUMBER	C 4262.213	
DATE COMMISSIONED	1987	mm/dd/yyyy
DEMISTER PAD	UNKNOWN	choose from drop down
DIAMETER	12"	in
DIAMETER TYPE	OD	choose from drop down
Flange Rating	/	
Flange Rating UOM	/	choose from drop down
Heating Surface	/	m2
LENGTH (IN)	30"	in (Seam to Seam)
MANWAY	NO	choose from drop down
MAWP Shell (kPa)	1034	kpa
MAWT Shell	66	C
OWNER	Conoco	
Service Med, liq/gas/steam/air	GAS	choose from drop down
Shell MDMT, C	-29	C

Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the process?		
Ie: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment		choose from drop down
How was the unit preserved? Additional comments/Free Text		

Additional Comments

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	zna	
Equipment Type	4018_Meter Run Junior	
Equipment Description	Daniel 4" Junior	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-05-069-10W6	
Process	DEH1_Dehydration	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Daniel	
Model	Junior	
Manuf Part No	/	
Serial Number	85170247	
Skid ID#	/	
Tech ID/P&ID	/	
AGA NUMBER	3C	
CRN NUMBER	/	
DIFFERENTIAL RANGE	/	
DOWNSTREAM DIAMETER	4.028	
MAX ALLOW WORKING PRESS	9922	
METER RUN - MAKE	Alco	
METER RUN - MODEL	/	
METER RUN - S/N	85170247	
METER TYPE	/	
NOMINAL SIZE	4"	
ORIFICE CHANGER	/	
OWNER	Conoco	
RECORDER TOTALIZER	/	
Service Medium	/	
STATIC RANGE	/	
STRAIGHTENING VANES	/	
Taps	/	
Temperature Range	/	
UPSTREAM DIAMETER	4.027	

Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the process?		
Ie: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment		choose from drop down
How was the unit preserved? Additional comments/Free Text		

Additional Comments

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	zna	
Equipment Type	1004_Building	
Equipment Description	Building	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-05-069-10W6	
Process	DEH1_Dehydration	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	L.A. Metal Buildings	
Model	/	
Manuf Part No	/	
Serial Number	/	
Skid ID#	/	
Tech ID/P&ID	/	
Controllable Asset Indicator	Controllable Asset	choose from drop down
CRN NUMBER	/	
HVAC (Y/N)	NO	choose from drop down
Length	18'	indicate measurement
OWNER	Conoco	
PURPOSE	Shelter	
Service Med, liq/gas/steam/air	GAS	choose from drop down
SPRINKLER SYSTEM	NO	choose from drop down
STRUCTURE TYPE	Steel	
WIDTH	10'	indicate measurement

Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the process?		
Ie: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment		choose from drop down
How was the unit preserved? Additional comments/Free Text		

Additional Comments

Explanation	Input Values	Unit of Measure/Format
SAP Equipment # (if known)	zna	
Equipment Type	9104_Valve Motor Opr	
Equipment Description	Fisher Controller	
Maintenance Plant	CBA_Wapiti	choose from drop down
Area Level 3	unknown	choose from drop down
Plant/Battery/Well	unknown	choose from drop down
Bottom Hole Location	0	
Surface Location	07-05-069-10W6	
Process	DEH1_Dehydration	choose from drop down
Cost Centre	GP ARS	
SAP Superior Equipment # (if known)		
Equipment Status	SURP-Surplus	choose from drop down
Manufacturer	Fisher	
Model	656	
Manuf Part No	/	
Serial Number	CN 637463	
Skid ID#	/	
Tech ID/P&ID	/	
ACTUATOR MAKE	/	
ACTUATOR SUPPLY TYPE	Pneumatic	
ANSI RATING	/	
OWNER	Conoco	
PNEUMATIC/ ELECTRIC	Pneumatic	
PORT DIAMETER	/	
Service Med, liq/gas/steam/air	GAS	choose from drop down
SIZE	4"	
Style	/	

Has the unit been isolated from the process?	NO	choose from drop down
Method of Isolation: Double Block and Bleed?		choose from drop down
Method of Isolation: Blinded?		choose from drop down
Has the unit been disconnected from the process?		
Ie: Spool Piece Removed	NO	choose from drop down
How was the unit preserved? Compression as per MOC 24014 Technical Bulletin 2009-05 Compressor Preservation		choose from drop down
How was the unit preserved? Has A&OI Specialist provided preservation support for vessels and other equipment		choose from drop down
How was the unit preserved? Additional comments/Free Text		

Additional Comments
Opeering Willis M3 Choke SN C 15429 MAWP 10335 Kpa MAWT 82 C