


THE INFORMATION CONTAINED HEREIN IS THE CONFIDENTIAL PROPERTY OF TOROMONT PROCESS SYSTEMS AND IS NOT FOR PUBLICATION, AND NO PART THEREOF SHALL BE COPIED OR COMMUNICATED TO A THIRD PARTY WITHOUT AUTHORIZATION FROM TOROMONT PROCESS SYSTEMS.

- SKID GENERAL NOTES:
- ELECTRICAL CLASSIFICATION: CLASS 1, DIV. II, GROUP D
(WITH BUILDING GAS DETECTION TO BE SUPPLIED AS REQ'D BY OTHERS)
 - MINIMUM DESIGN INDOOR TEMPERATURE: 50 DEG.F
 - MAXIMUM DESIGN AMBIENT TEMPERATURE: 90 DEG.F
 - COMPRESSOR SYSTEM OIL CHARGE: 34 USGAL
 - COMPRESSOR OIL TYPE: S5-150
 - ENGINE OIL CHARGE: 17 USGAL
 - ENGINE OIL TYPE: ESSO G40, OR EQUAL
 - ENGINE JACKET COOLANT CAPACITY: 26 USGAL
 - ENGINE COOLANT: 50/50 ETHYLENE GLYCOL
 - INSTRUMENT / FUEL GAS CONSUMPTION: 2000 SCFH
 - START GAS CONSUMPTION: 550 SCFM
 - ATMOSPHERIC PRESSURE: 13.4 PSIA
 - ELEVATION: 2500 FT. DESIGN
 - EXHAUST STACK: 1.2 TIMES EAVE HEIGHT



CPC DWG NO.: SDN-016-VEN-000-0001

NOTE: 1 TAKE CONNECTION FROM THE TOP OF PIPE.

FOR JOBS 11264 TO 11268

ISSUED FOR CONSTRUCTION

REV.	DESCRIPTION	DATE	BY	APPR.
1	ISSUED FOR CONSTRUCTION	JUL 31/03	CD	

PERMIT TO PRACTICE STAMP

ENGINEER STAMP

TOROMONT	TOROMONT PROCESS SYSTEMS	TITLE: P & I FLOW DIAGRAM
DRAWN BY: C. DAVIDSON	DATE: JULY 23/03	FOR: TOROMONT PROCESS SYSTEMS 135 HP COMPRESSOR UNIT FRICK 151N COMPRESSOR
CHKD. BY:	SCALE: N/A	
APPR. BY:	W.O. No: 11266101	
CUST. PO No:	DWG. No: 11266-101	SHEET No: 1 OF 4
		REV: 1