



**MICRON** For Parts & Service Call  
Filtration Inc 1-888-838-3224

Model # \_\_\_\_\_  
Gasket # \_\_\_\_\_  
Element # \_\_\_\_\_

CERTIFIED BY

**FILTER SOLUTIONS INC.**

|                                  |                    |
|----------------------------------|--------------------|
| PSI AT _____                     | PSI AT _____       |
| (MAX ALLOWABLE WORKING PRESSURE) |                    |
| AT _____                         | AT _____           |
| (MIN DESIGN METAL TEMPERATURE)   |                    |
| (SERIAL NUMBER) _____            | (YEAR BUILT) _____ |
| CSN _____                        | ON _____           |
| MADE IN CANADA                   |                    |

287177

**GLYCOL**

Product Name: Glycol, Grade: G-1, Viscosity: 150 SUS @ 100°F

Operating Pressure: 150 PSI Max

Operating Temperature: 100°F Max

AVOID EYE AND SKIN CONTACT  
AVOID BREATHING VAPORS.

Refer to the Safety Data Sheet for  
additional information. See the MSDS for  
complete information.

ferion 6








fusion B



CERTIFIED BY

**FILTER SOLUTIONS INC.**



271

210

PSI AT

100

365

°F

(MAX ALLOWABLE WORKING PRESSURE)

-20

°F AT

271

210

PSI

(MIN DESIGN METAL TEMPERATURE)

(SERIAL NUMBER)

2825C

(YEAR BUILT)

2002

CRN

OE7637.5123

OIN

MADE IN CANADA