



**G.L.M. INDUSTRIES L.P.**

API ☒ 12 F ED. ☒ 12 ADD. ☐ APP. ☐ MOD. ☒
SERIAL No. 10-797-2 YEAR 2011
OWNER TAG NO. T-330
SERVICE SLOP

NOM DIA	2.0 FT	BTM THK	1/4 IN.
NOM HT	20.0 FT	BTM TYPE	FLAT
NOM CAP	400 BBL	ROOF THK	3/16 IN.
DES. PRES.	16.0 OZ	P.W.H.T	NO
DES. S.G.	1.0	DES. LIQ. LVL.	20.0 FT
MDMT	11 F	MAX TEMP	200 F

SHELL THICKNESS

3/16

MATERIAL

A-36

288503





G.L.M. INDUSTRIES L.P.

API 12 F ED. 12 ADD. APP. MOD. ☒
SERIAL No. 10-797-2 YEAR 2011
OWNER TAG NO. T-330
SERVICE SLOP

NOM DIA	<u>12.0</u> FT.	BTM THK	<u>1/4</u> IN.
NOM HT	<u>20.0</u> FT.	BTM TYPE	<u>FLAT</u>
NOM CAP	<u>400</u> BBL	ROOF THK	<u>3/16</u> IN.
DES. PRES.	<u>16.0</u> OZ.	P.W.H.T	<u>NO</u>
DES. S.G.	<u>1.0</u>	DES. LIQ. LVL.	<u>20.0</u> FT.
MDMT	<u>11</u> °F	MAX TEMP	<u>200</u> °F

SHELL THICKNESS

3/16"

MATERIAL

A-36

288503





G.L.M. INDUSTRIES L.P.

API 12 F ED. 12 ADD. ☐ APP. ☐ MOD. ☒
SERIAL No. 10-797-2 ☐ YEAR 2011
OWNER TAG NO. T-330
SERVICE SLOP

NOM DIA	12.0 FT	BTM THK	1/4 IN.
NOM HT	20.0 FT	BTM TYPE	FLAT
NOM CAP	400 BBL	ROOF THK	3/16 IN.
DES. PRES.	16.0 OZ.	P.W.H.T	NO
DES. S.G.	1.0	DES. LIQ. LVL.	20.0 FT.
MDMT	11 °F	MAX TEMP	200 °F

SHELL THICKNESS

3/16"

MATERIAL

A-36

288503

