





HYCOM

MAYEKAWA MFG. CO. LTD.

1-15 Bizen Koto-ku, Tokyo 135-8482, JAPAN

ALUMINUM INDICATOR FOR SCREW COMPRESSOR

WEE: NC-S

1 Input: 2W

1 Output: 100mA

2.1 J-B IP66

-30°C to +55°C



0344



DEKRA 14ATEX0055 E 750mW

IECEx DEK 14.007



Certification No.

SH1480-0219

II 2 G Ex Ib

Class I, Division 1, Group 1, B C, D T4

Ex ia IIC T4 Ga

Class I, Zone 0, AEx

II 2 G Ex Ib

Class I, Division 1, Group 1, B C, D T4

Ex ia IIC T4 Ga

Class I, Zone 0, AEx

WARNING: THIS PRODUCT NEEDS BARRIERS TO BE USED IN HAZARDOUS AREA.
INSTALLATION OF COMPONENTS MAY IMPAIR INTRINSIC SAFETY.
INSTALLATION OR INSTALLATION CHARGING HAZARD - READ INSTRUCTIONS.
INSTALLATION OF COMPONENTS MAY IMPAIR INTRINSIC SAFETY.
INSTALLATION OR INSTALLATION CHARGING HAZARD - READ INSTRUCTIONS.

NECESSITE DES OBSTACLES POUR ETRE UTILISE DANS
UNE ZONE DANGEREUSE.
L'INSTALLATION DE COMPOSANTS PEUT COMPROMETTRE LA SECURITE INTRINSEQUE.
L'INSTALLATION OU L'INSTALLATION CHARGING HAZARD - LIRE LES INSTRUCTIONS.

SERIAL NO.

MADE IN JAPAN

MYCOM SCREW COMPRESSOR

MODEL

P400SUD-HE

SERIAL No.

4055122

DATE

04-2020

DESIGN PRESSURE (PSIG)

377

WORKING FLUID

P

PRESSURE TEST (PSIG)

566

MAX. SWEEP VOLUME m³/h

7910

LEAK TEST (PSIG)

377

MAX. SPEED (min⁻¹)

3600

MAYEKAWA MFG. CO., LTD. MADE IN JAPAN

HYCOM

MANUFACTURED BY HYCOM, INC.
10000 10th Ave. North, Suite 100
Minneapolis, MN 55412

Model: 1000
10000 10th Ave. North
Suite 100
Minneapolis, MN 55412



CLASS II
TYPE B



CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

CLASS II
TYPE B

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

WARNING: THIS PRODUCT REQUIRES BATTERIES TO
OPERATE. BATTERIES ARE LOCATED INSIDE THE
UNIT. BATTERIES SHOULD BE REPLACED WHEN
THE BATTERY INDICATOR LIGHTS ARE ON.
DO NOT ATTEMPT TO REPAIR OR DISASSEMBLE
THIS PRODUCT. CONTACT A QUALIFIED
TECHNICIAN FOR SERVICE.

MYCOM SCREW COMPRESSOR

MODEL

SERIAL No.

DESIGN PRESSURE (PSIG)

PRESSURE TEST (PSIG)

LEAK TEST (PSIG)

MAYEKAWA MFG. CO., LTD.

MADE IN JAPAN

04-2000

P

7910

36000